

Amendments to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in this application.

Listing of Claims:

- 1 (Canceled)
2. (Previously presented) A probe for a probe card characterized in that the same has a structure where either nickel plating or nickel alloy plating is applied to the surface of a core material made of palladium alloy and then a wire drawing operation with a wire drawing die is performed.
3. (Canceled)
4. (Previously presented) The probe for a probe card according to claim 2 characterized in that a gold plating is further applied to the upper-most surface of said probe after said wire drawing operation is performed.
5. (Previously presented) The probe for a probe card according to claim 2, wherein the probe can be applied for performing an inspection of an IC chip having an inter-electrode pitch size of 100 μm .

6. (Previously presented) The probe for a probe card according to claim 2, wherein the probe is 65 μm in diameter.

7. (Previously presented) The probe for a probe card according to claim 6, whereby positional displacement in respect to the IC chip electrode is minimized.

8. (Previously presented) The probe for a probe card according to claim 2, wherein thickness of the nickel plating or nickel alloy plating is 3 – 15 μm .

9. (Previously presented) The probe for a probe card according to claim 4, wherein thickness of the gold plating is about 0.2 – 1.0 μm .

10. (Previously presented) A probe for a probe card characterized in that the same has a structure where either nickel plating or nickel alloy plating is applied to the surface of a core material made of beryllium copper alloy and then a wire drawing operation with a wire drawing die is performed.

11. (Previously presented) The probe for a probe card according to claim 10, wherein the probe can be applied for performing an inspection of an IC chip having an inter-electrode pitch size of 100 μm .

12. (Previously presented) The probe for a probe card according to claim 10, wherein the probe is 65 μm in diameter.

13. (Previously presented) The probe for a probe card according to claim 10, whereby positional displacement in respect to the IC chip electrode is minimized.

14. (Previously presented) The probe for a probe card according to claim 10, wherein thickness of the nickel plating or nickel alloy plating is 3 – 15 μm .

15. (Previously presented) The probe for a probe card according to claim 10 characterized in that a gold plating is further applied to the upper-most surface of said probe after said wire drawing operation is performed.

16. (Previously presented) The probe for a probe card according to claim 15, wherein thickness of the gold plating is about 0.2 – 1.0 μm .

17. (Cancelled)

Serial No.: 09/993,675
Art Unit: 2829

Attorney's Docket No.: AKE0001-US
Page 5

Amendments to the Drawings:

The attached sheet of drawings include changes to Fig. 4. This sheet, which includes

Attachment: Replacement Sheet.